




# 15SH..MT


**M-BSPT**

MANNELIJK BSP CONISCH (BSPT)

BSP MÂLE CONIQUE (BSPT)

BSP-T MALE

Referentie Référence Reference					
	DN	MM	INCH	M- BSPT	BAR
15SH1212MT	20	19,0	3/4"	3/4" - 14	280
15SH1616MT	25	25,4	1"	1" - 11	280
15SH2020MT	32	31,8	1 1/4"	1 1/4" - 11	210
15SH2424MT	38	38,1	1 1/2"	1 1/2" - 11	185
15SH3232MT	50	50,8	2"	2" - 11	175






# 15SH..MB


**M-NPT**

MANNELIJK NPT

NPT MÂLE




NPT MALE


Referentie Référence Reference					
	DN	MM	INCH	M-NPT	BAR
15SH1212MB	20	19,0	3/4"	3/4" - 14	280
15SH1216MB	20	19,0	3/4"	1" - 11.5	280
15SH1616MB	25	25,4	1"	1" - 11.5	280
15SH1620MB	25	25,4	1"	1 1/4" - 11.5	210
15SH2020MB	32	31,8	1 1/4"	1 1/4" - 11.5	210
15SH2024MB	32	31,8	1 1/4"	1 1/2" - 11.5	185
15SH2424MB	38	38,1	1 1/2"	1 1/2" - 11.5	185
15SH3232MB	50	50,8	2"	2" - 11.5	175



# 15SH..MU




**M-BSP-60**  
BSP MANNELIJK  
BSP MÂLE  
BSP MALE


Referentie Référence Reference					
	DN	MM	INCH	M-BSP-60	BAR
15SH1212MU	20	19,0	3/4"	3/4" - 14	420
15SH1616MU	25	25,4	1"	1" - 11	380
15SH1620MU	25	25,4	1"	1 1/4" - 11	325
15SH2020MU	32	31,8	1 1/4"	1 1/4" - 11	325
15SH2424MU	38	38,1	1 1/2"	1 1/2" - 11	290
15SH3232MU	50	50,8	2"	2" - 11	250



# 15SH..NO

**F-BSP-60A**  
BSP VROUWELIJK  
ECROU TOURNANT BSP  
BSP FEMALE

Referentie Référence Reference					
	DN	MM	INCH	F-BSP-60A	BAR
15SH1212NO	20	19,0	3/4"	3/4" - 14	420
15SH1616NO	25	25,4	1"	1" - 11	380
15SH1620NO	25	25,4	1"	1 1/4" - 11	325
15SH2020NO	32	31,8	1 1/4"	1 1/4" - 11	325
15SH2424NO	38	38,1	1 1/2"	1 1/2" - 11	290
15SH3232NO	50	50,8	2"	2" - 11	250




# 15SH..NO45

## F-BSP-60A

BSP VROUWELIJK 45°  
ECROU TOURNANT BSP 45°  
BSP FEMALE 45°

Referentie Référence Reference					
	DN	MM	INCH	F-BSP-60A	BAR
15SH1212NO45	20	19,0	3/4"	3/4" - 14	420
15SH1616NO45	25	25,4	1"	1" - 11	380
15SH1620NO45	25	25,4	1"	1 1/4" - 11	325
15SH2020NO45	32	31,8	1 1/4"	1 1/4" - 11	325
15SH2424NO45	38	38,1	1 1/2"	1 1/2" - 11	290
15SH3232NO45	50	50,8	2"	2" - 11	250



# 15SH..NO90

## F-BSP-60A

BSP VROUWELIJK 90°  
ECROU TOURNANT BSP 90°  
BSP FEMALE 90°

Referentie Référence Reference					
	DN	MM	INCH	F-BSP-60A	BAR
15SH1212NO90	20	19,0	3/4"	3/4" - 14	420
15SH1616NO90	25	25,4	1"	1" - 11	380
15SH1620NO90	25	25,4	1"	1 1/4" - 11	325
15SH2020NO90	32	31,8	1 1/4"	1 1/4" - 11	325
15SH2424NO90	38	38,1	1 1/2"	1 1/2" - 11	290
15SH3232NO90	50	50,8	2"	2" - 11	250