


TD92-..UNF-BO

M-UNF-G x M-MET-24

RECHTE INSCHROEFKOPPELING UNF/UN

UNION SIMPLE MÂLE UNF/UN

MALE STUD COUPLING UNF/UN




Serie Série Series	Ød1	PN	L1	F1	ØF	ØN	CH1		
L	8	315	10	M14x1.5	7/16"-20	14,4	17	TD92-8L-7/16-20UNF-BO	
	10		11	M16x1.5	7/16"-20	14,4	17	TD92-10L-7/16-20UNF-BO	
	12		11	M18x1.5	9/16"-18	17,6	19	TD92-12L-9/16-18UNF-BO	
	12		13	M18x1.5	3/4"-16	22,3	24	TD92-12L-3/4-16UNF-BO	
	12		14,3	M18x1.5	7/8"-14	25,5	27	TD92-12L-7/8-14UNF-BO	
	15		13	M22x1.5	3/4"-16	22,3	24	TD92-15L-3/4-16UNF-BO	
	18		14,5	M26x1.5	3/4"-16	22,3	27	TD92-18L-3/4-16UNF-BO	
	18		14,8	M26x1.5	7/8"-14	25,5	27	TD92-18L-7/8-14UNF-BO	
	22		160	16,8	M30x2	7/8"-14	25,5	32	TD92-22L-7/8-14UNF-BO
	22			16,5	M30x2	1.1/16"-12	31,9	32	TD92-22L-1 1/16-12UN-BO
	22			17,5	M30x2	1.5/16"-12	38,2	41	TD92-22L-1 5/16-12UN-BO
	28			17,5	M36x2	1.1/16"-12	31,9	41	TD92-28L-1 1/16-12UN-BO
	28			17,5	M36x2	1.5/16"-12	38,2	41	TD92-28L-1 5/16-12UN-BO
	35			17,5	M45x2	1.5/16"-12	38,2	46	TD92-35L-1 5/16-12UN-BO
	35			17,5	M45x2	1.5/8"-12	47,7	50	TD92-35L-1 5/8-12UN-BO
	42			19	M52x2	1.5/8"-12	47,7	55	TD92-42L-1 5/8-12UN-BO
S	8	630		15	M16x1.5	7/16"-20	16	17	TD92-8S-7/16-20UNF-BO
	10			14,5	M18x1.5	9/16"-18	17,6	19	TD92-10S-9/16-18UNF-BO
	12		14,5	M20x1.5	9/16"-18	17,6	22	TD92-12S-9/16-18UNF-BO	
	12		17,5	M20x1.5	3/4"-16	22,3	24	TD92-12S-3/4-16UNF-BO	
	16	400	15,5	M24x1.5	3/4"-16	22,3	24	TD92-16S-3/4-16UNF-BO	
	16		18,8	M24x1.5	7/8"-14	25,5	27	TD92-16S-7/8-14UNF-BO	
	20		20,5	M30x2	3/4"-16	22,3	32	TD92-20S-3/4-16UNF-BO	
	20		20,8	M30x2	7/8"-14	25,5	32	TD92-20S-7/8-14UNF-BO	
	20		20,5	M30x2	1.1/16"-12	31,9	32	TD92-20S-1 1/16-12UN-BO	
	25		23	M36x2	1.1/16"-12	31,9	36	TD92-25S-1 1/16-12UN-BO	
	25		23	M36x2	1.5/16"-12	38,2	41	TD92-25S-1 5/16-12UN-BO	
	30		23,5	M42x2	1.5/16"-12	38,2	46	TD92-30S-1 5/16-12UN-BO	
	30		23,5	M42x2	1.5/8"-12	47,7	50	TD92-30S-1 5/8-12UN-BO	
	38		315	26	M52x2	1.5/8"-12	47,7	55	TD92-38S-1 5/8-12UN-BO

TD514-..UNF-BO

M-UNF-H x M-MET-24

ORIËNTEERBARE ELLEBOOG 90° MET TEGENMOER
90° COUDE ORIENTABLE AVEC CONTRE-ÉCROU
ROTATABLE 90° FITTING WITH BULKHEAD NUT




Serie Série Series	d1	PN	L1	L2	I	F1	F	CH1	CH2	N		
L	6	315	14	20	9	M12x1.5	7/16"-20	14	14	16,2	TD514-6L7/16-20UNF-BO	
	8		16	20	9	M14x1.5	7/16"-20	14	14	16,2	TD514-8L7/16-20UNF-BO	
	10		17	24	10	M16x1.5	9/16"-18	19	17	21,2	TD514-10L9/16-18UNF-BO	
	12		19	26	10	M18x1.5	9/16"-18	19	17	21,2	TD514-12L9/16-18BO	
	12		19	26,5	11	M18x1.5	3/4"-16	19	22	26,2	TD514-12L3/4-16UNF-BO	
	15		21	30	11	M22x1.5	3/4"-16	22	22	26,2	TD514-15L3/4-16UNF-BO	
	15		21	30,3	12,7	M22x1.5	7/8"-14	22	27	29,3	TD514-15L7/8-14UNF-BO	
	18		24	34,3	12,7	M26x1.5	7/8"-14	27	27	29,3	TD514-18L7/8-14UNF-BO	
	18		24,5	35	15	M26x1.5	1.1/16"-12	33	32	37,5	TD514-18L1.1/16-12UN-BO	
	22		160	28	37	15	M30x2	1.1/16"-12	33	32	37,5	TD514-22L1.1/16-12UN-BO
	28			31	42	15	M36x2	1.5/16"-12	41	41	44	TD514-28L1.5/16-12UN-BO
	35			38	48	15	M45x2	1.5/8"-12	48	50	54,5	TD514-35L1.5/8-12UN-BO
	42			38	49	15	M52x2	1.7/8"-12	48	55	56	TD514-42L1.7/8-12UN-BO
	S			6	400	15,5	23	9	M14x1.5	7/16"-20	14	14
8		18		27		10	M16x1.5	9/16"-18	19	17	21,2	TD514-8S9/16-18UNF-BO
10		18	27,5	10		M18x1.5	9/16"-18	19	17	21,2	TD514-10S9/16-18UNF-BO	
12		22	33	11		M20x1.5	3/4"-16	22	22	26,2	TD514-12S3/4-16UNF-BO	
16		25	37,3	12,7		M24x1.5	7/8"-14	27	27	29,3	TD514-16S7/8-14UNF-BO	
20		28	38	15		M30x2	1.1/16"-12	33	32	37,5	TD514-20S1.1/16-12UN-BO	
25		30,5	42	15		M36x2	1.1/16"-12	41	32	37,5	TD514-25S1.1/16-12UN-BO	
30		250	36	54		15	M42x2	1.5/8"-12	48	50	54,5	TD514-30S1.5/8-12UN-BO
38			34	54		15	M52x2	1.7/8"-12	48	55	56	TD514-38S1.7/8-12UN-BO

TD517-..UNF-BO

M-UNF-H x M-MET-24

ORIËNTEERBAAR 45° STUK MET TEGENMOER
45° RENVERSÉE ORIENTABLE AVEC CONTR-ÉCROU
ROTATABLE 45° FITTING WITH BULHEAD NUT




Serie Série Series	Ød1	PN	L1	L2	I	F1	F	CH1	CH2	ØN	
L	6	315	9,5	20	9	M12x1.5	7/16"-20	14	14	16,2	TD517-6L7/16-20UNF-BO
	8		12	20	9	M14x1.5	7/16"-20	14	14	16,2	TD517-8L7/16-20UNF-BO
	10		12	24	10	M16x1.5	9/16"-18	19	17	21,2	TD517-10L9/16-18UNF-BO
	12		14	26	10	M18x1.5	9/16"-18	19	17	21,2	TD517-12L9/16-18BO
	12		14	26	11	M18x1.5	3/4"-16	19	22	26,2	TD517-12L3/4-16UNF-BO
	15		17	26	11	M22x1.5	3/4"-16	22	22	26,2	TD517-15L3/4-16UNF-BO
	15		17	26,3	12,7	M22x1.5	7/8"-14	22	27	29,3	TD517-15L7/8-14UNF-BO
	18		17	32,3	12,7	M26x1.5	7/8"-14	27	27	29,3	TD517-18L7/8-14UNF-BO
	18		18	32,5	15	M26x1.5	1.1/16"-12	33	32	37,5	TD517-18L1.1/16-12UN-BO
	22		160	19,5	25	15	M30x2	1.1/16"-12	33	32	37,5
28	23	37		15	M36x2	1.5/16"-12	41	41	44	TD517-28L1.5/16-12UN-BO	
35	27	39		15	M45x2	1.5/8"-12	48	50	54,5	TD517-35L1.5/8-12UN-BO	
42	26	39		15	M52x2	1.7/8"-12	48	55	56	TD517-42L1.7/8-12UN-BO	
S	6	400	11	21	9	M14x1.5	7/16"-20	14	14	16,2	TD517-6S7/16-20UNF-BO
	8		13	23	10	M16x1.5	9/16"-18	19	17	21,2	TD517-8S9/16-18UNF-BO
	10		13	23	10	M18x1.5	9/16"-18	19	17	21,2	TD517-10S9/16-18UNF-BO
	12		17	25	11	M20x1.5	3/4"-16	22	22	26,2	TD517-12S3/4-16UNF-BO
	16		16	32,3	12,7	M24x1.5	7/8"-14	27	27	29,3	TD517-16S7/8-14UNF-BO
	20		19	35	15	M30x2	1.1/16"-12	33	32	37,5	TD517-20S1.1/16-12UN-BO
S	25	250	22	37	15	M36x2	1.1/16"-12	41	32	37,5	TD517-25S1.1/16-12UN-BO
	30		24	39	15	M42x2	1.5/8"-12	48	50	54,5	TD517-30S1.5/8-12UN-BO
	38		24	39	15	M52x2	1.7/8"-12	48	55	56	TD517-38S1.7/8-12UN-BO

TD515-..UNF-BO

M-MET-24 x M-MET-24 x M-UNF-H

ORIËNTEERBAAR T-STUK MET TEGENMOER
TÉ ORIENTABLE AVEC CONTRE-ÉCROU
ROTATABLE TEE FITTING WITH BULKHEAD NUT




Serie Série Series	Ød1	PN	L1	L2	I	F1	F	CH1	CH2	ØN		
L	6	250	14	20	9	M12x1.5	7/16"-20	14	14	16,2	TD515-6L7/16-20UNF-BO	
	8		16	20	9	M14x1.5	7/16"-20	14	14	16,2	TD515-8L7/16-20UNF-BO	
	10		17	24	10	M16x1.5	9/16"-18	19	17	21,2	TD515-10L9/16-18UNF-BO	
	12		19	26	10	M18x1.5	9/16"-18	19	17	21,2	TD515-12L9/16-18UNF-BO	
	12		19	26,5	11	M18x1.5	3/4"-16	19	22	26,2	TD515-12L3/4-16UNF-BO	
	15		21	30	11	M22x1.5	3/4"-16	22	22	26,2	TD515-15L3/4-16UNF-BO	
	15		21	30,3	12,7	M22x1.5	7/8"-14	22	27	29,3	TD515-15L7/8-14UNF-BO	
	18		24	34,3	12,7	M26x1.5	7/8"-14	27	27	29,3	TD515-18L7/8-14UNF-BO	
	18		24,5	35	15	M26x1.5	1.1/16"-12	33	32	37,5	TD515-18L1.1/16-12UN-BO	
	22		160	28	37	15	M30x2	1.1/16"-12	33	32	37,5	TD515-22L1.1/16-12UN-BO
	28			31	42	15	M36x2	1.5/16"-12	41	41	44	TD515-28L1.5/16-12UN-BO
	35			38	48	15	M45x2	1.5/8"-12	48	50	54,5	TD515-35L1.5/8-12UN-BO
	42			38	49	15	M52x2	1.7/8"-12	48	55	56	TD515-42L1.7/8-12UN-BO
	S			6	400	15,5	23	9	M14x1.5	7/16"-20	14	14
8		18		27		10	M16x1.5	9/16"-18	19	17	21,2	TD515-8S9/16-18UNF-BO
10		18	27,5	10		M18x1.5	9/16"-18	19	17	21,2	TD515-10S9/16-18UNF-BO	
12		22	33	11		M20x1.5	3/4"-16	22	22	26,2	TD515-12S3/4-16UNF-BO	
16		25	37,3	12,7		M24x1.5	7/8"-14	27	27	29,3	TD515-16S7/8-14UNF-BO	
20		28	38	15		M30x2	1.1/16"-12	33	32	37,5	TD515-20S1.1/16-12UN-BO	
25		30,5	42	15		M36x2	1.1/16"-12	41	32	37,5	TD515-25S1.1/16-12UN-BO	
30		250	36	54		15	M42x2	1.5/8"-12	48	50	54,5	TD515-30S1.5/8-12UN-BO
38			34	54		15	M52x2	1.7/8"-12	48	55	56	TD515-38S1.7/8-12UN-BO

TD516-..UNF-BO

M-UNF-H x M-MET-24 x M-MET-24

ORIËNTEERBAAR T-STUK MET TEGENMOER
TÉ ORIENTABLE AVEC CONTRE-ÉCROU
ROTATABLE TEE FITTING WITH BULKHEAD NUT



Serie Série Series	Ød1	PN	L1	L2	I	F1	F	CH1	CH2	ØN		
L	6	315	14	20	9	M12x1.5	7/16"-20	14	14	16,2	TD516-6L7/16-20UNF-BO	
	8		16	20	9	M14x1.5	7/16"-20	14	14	16,2	TD516-8L7/16-20UNF-BO	
	10		17	24	10	M16x1.5	9/16"-18	19	17	21,2	TD516-10L9/16-18UNF-BO	
	12		19	26	10	M18x1.5	9/16"-18	19	17	21,2	TD516-12L9/16-18BO	
	12		19	26,5	11	M18x1.5	3/4"-16	19	22	26,2	TD516-12L3/4-16UNF-BO	
	15		21	30	11	M22x1.5	3/4"-16	22	22	26,2	TD516-15L3/4-16UNF-BO	
	15		21	30,3	12,7	M22x1.5	7/8"-14	22	27	29,3	TD516-15L7/8-14UNF-BO	
	18		24	34,3	12,7	M26x1.5	7/8"-14	27	27	29,3	TD516-18L7/8-14UNF-BO	
	18		24,5	35	15	M26x1.5	1.1/16"-12	33	32	37,5	TD516-18L1.1/16-12UN-BO	
	22		160	28	37	15	M30x2	1.1/16"-12	33	32	37,5	TD516-22L1.1/16-12UN-BO
	28			31	42	15	M36x2	1.5/16"-12	41	41	44	TD516-28L1.5/16-12UN-BO
	35			38	48	15	M45x2	1.5/8"-12	48	50	54,5	TD516-35L1.5/8-12UN-BO
	42			38	49	15	M52x2	1.7/8"-12	48	55	56	TD516-42L1.7/8-12UN-BO
	S			6	400	15,5	23	9	M14x1.5	7/16"-20	14	14
8		18		27		10	M16x1.5	9/16"-18	19	17	21,2	TD516-8S9/16-18UNF-BO
10		18	27,5	10		M18x1.5	9/16"-18	19	17	21,2	TD516-10S9/16-18UNF-BO	
12		22	33	11		M20x1.5	3/4"-16	22	22	26,2	TD516-12S3/4-16UNF-BO	
16		25	37,3	12,7		M24x1.5	7/8"-14	27	27	29,3	TD516-16S7/8-14UNF-BO	
20		28	38	15		M30x2	1.1/16"-12	33	32	37,5	TD516-20S1.1/16-12UN-BO	
25		30,5	42	15		M36x2	1.1/16"-12	41	32	37,5	TD516-25S1.1/16-12UN-BO	
30		250	36	54		15	M42x2	1.5/8"-12	48	50	54,5	TD516-30S1.5/8-12UN-BO
38			34	54		15	M52x2	1.7/8"-12	48	55	56	TD516-38S1.7/8-12UN-BO